



Smart

- 335 W Solar Panel
- SmartSolar MPPT 100|30
- Smart Lithium
- Smart Shunt 500Amp
- Multiplus 12|2000|50
- Smart Dongle (to Multi)
- Eaton FAZ Breakers
- Victron Fuse Holder
- Blue Sea Switches





AC Charge
(Currently not used)

AC Load

To 335 W LG
Solar panel
DoubleThrow

DC Multiplus
2000|12|50-80

Smart Dongle to
Multiplus

To 200Ah Smart
Lithium

Blue Sea 6006 (2x)
m-Series Battery Switch, 2
Position, On-Off, 300A, 48V

SmartShunt 500

Temp Sensor

DC Load

SmartShunt HQ20193D

STATUS HISTORY TRENDS

State of charge **86%**

Voltage **12.83V**

Current **-112.75A**

Power **-1447W**

Consumed Ah **-24.5Ah**

Time remaining **1h 4m**

Input

Temperature **90°F**

VE.Bus Smart HQ1902...

OVERVIEW DETAILED

State **Inverting**

AC INPUT L1

Voltage	Power
0V	0W
Current	Frequency
0.00A	0.0Hz

AC OUTPUT L1

Voltage	Power
120V	1132W
Current	Frequency
9.70A	60.0Hz

Battery

Voltage	Current
12.88V	-107.9A
Temperature	
84°F	

SmartSolar HQ201257...

STATUS HISTORY TRENDS

Solar **34W**

Voltage **24.39V**

Current **1.4A**

Battery

Voltage **12.83V**

Current **2.50A**

Temperature **90°F**

State **Bulk**

Virtual load output

